Observe all personal protection equipment recommendations described in Sections V and VIII. Wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases.

MATERIAL SAFETY DATA SHEET

INNERBOND Z-41 Silicone Heat Sink Compound

SECTION I – PRODUCT AND COMPANY IDENTIFICATION

DATE:

MANUFACTURER'S NAME: ADDRESS:

TELEPHONE NUMBER:

EMERGENCY CONTACT:

NFPA = NATIONAL FIRE PROTECTION ASSOCIATION HEALTH (NFPA): FLAMMABILITY (NFPA): 0

REACTIVITY (NFPA): 1

SECTION II - HAZARDOUS COMPONENTS

None present. This is not a hazardous material as defined in the OSHA Hazard Communication Standard.

SECTION III – HAZARDS IDENTIFICATION

Eyes: Direct contact may cause temporary redness and discomfort. No significant irritation expected. Skin: Inhalation: No significant irritation expected. Low ingestion hazard in normal use. Ingestion:

SECTION IV - FIRST AID MEASURES

Immediately flush with water Eyes: No first aid should be needed Skin: No first aid should be needed Inhalation: No first aid should be needed Oral:

SECTION V - FIRE FIGHTING MEASURES

Flash Point (closed cup): >213.8°F / >101°C Flammability Limits in Air: Not Determined Extinguishing Media:

On large fires, use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

Special Fire Fighting Procedures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

SECTION VI - ACCIDENTAL RELEASE MEASURES

P. O. BOX 644 (42702) 209 PETERSON DRIVE ELIZABETHTOWN, KY 42701 270-737-6757

February 4, 2011

INLAND, INC.



0

Not Determined

None

Autoignition:

Unusual Fire Hazards:

CHEMTREC 800-424-9300

MATERIAL SAFETY DATA SHEET

INNERBOND Z-41 Silicone Heat Sink Compound

SECTION VII - HANDLING AND STORAGE

Use with adequate ventilation. Avoid eye contact. Use reasonable care and store away from oxidizing materials.

SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION

PERSONAL PROTECTION EQUIPMENT (PPE)

Selection of personal protective equipment should be based upon the anticipated exposure and made in accordance with OSHA's Personal Protective Equipment Standard found in 29 CFR 1910 Subpart I. The following information may be used to assist in PPE selection.

Respiratory Protection:

No respiratory protection should be needed.

Skin Protection:

Washing at mealtime and end of shift is adequate. Handle in accordance with good industrial hygiene and safety practices.

Eye Protection:

Use proper protection - safety glasses as a minimum

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity (at 77°F/25°C): Solubility in Water: Viscosity: Boiling Point: Vapor Density: pH: Flash Point (closed cup): Flammability Limits in Air: 2.0 Insoluble Not determined Not determined Not determined >213.8°F / >101°C Not Determined Physical Form: Odor: Freezing/Melting Point: Vapor Pressure @ 25°C: Solubility in Water: Volatile Content: Autoignition: Paste Odorless Not determined Not determined 0g/I 0.0% Not Determined

The above information is not intended for use in preparing product specifications.

SECTION X – STABILITY AND REACTIVITY

 Chemical Stability:
 Stable

 Hazardous Polymerization:
 Will not occur

 Conditions to Avoid:
 None

 Materials to Avoid:
 Oxidizing material can cause a reaction

 Hazardous Decomposition Products:
 Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: silicon dioxide, carbon oxides and traces of incompletely burned carbon compounds, formaldehyde.

SECTION XI – TOXICOLOGICAL INFORMATION

No known applicable information.

SECTION XII – ECOLOGICAL INFORMATION

Complete information is not yet available.

MATERIAL SAFETY DATA SHEET

INNERBOND Z-41 Silicone Heat Sink Compound

SECTION XIII – DISPOSAL CONSIDERATION

This product is not classified as a hazardous waste. State or local laws may impose additional regulatory requirements regarding disposal.

SECTION XIV – TRANSPORT INFORMATION

DOT Road Shipment Information (49 CFR 172.101): Ocean Shipment (IMDG): Air Shipment (IATA):

Proper Shipping Name: Hazard Technical Name: Hazard Class: UN/NA Number: Packing Group: Hazard Class: Not subject to DOT Not subject to IMDG code

Environmentally hazardous substance, solid, n.o.s. Zinc oxide 9 UN3077 III Miscellaneous dangerous goods

SECTION XV – REGULATORY INFORMATION

TSCA inventory status and **TSCA** information:

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

EPA SARA Title III Chemical Listings: Section 302 Extremely Hazardous Substances (40 CFR 355): Section 304 CERCLA Hazardous Substances (40 CFR 302): Section 311/312 Hazard Class (40 CFR 370):

No
No
No
No
No

Section 313 Toxic Chemicals (40 CFR 372): Chemicals are listed under the 313 Toxic Chemicals section only if they meet or exceed a reporting threshold.

Zinc oxide(1314-13-2), 69%

California Proposition 65:

This material does not contain any chemicals known to the state of California to cause cancer or to cause reproductive effects.

Massachusetts:

Zinc oxide (1314-13-2), >60.0%

New Jersey:	
	Zinc oxide (1314-13-2), >60.0%
	Polydimethylsiloxane (63148-62-9), 30.0 - 60.0%
Pennsylvania:	
· · · · ·	Zinc oxide (1314-13-2), >60.0% Polydimethylsiloxane (63148-62-9), 30.0 – 60.0%

SECTION XVI – OTHER INFORMATION

This data is offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.